

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

**IN RE APPLICATION OF: ZEEV SCHMILOVITCH, et al**

**FOR: SPECTROSCOPIC FLUID ANALYZER**

Attorney Docket No.: U 014711-1

**Mail Stop Patent Office  
Commissioner for Patents  
P. O. Box 1450  
Alexandria, VA 22313-1450**

**PRELIMINARY AMENDMENT**

Please amend the above-identified application as follows:

---

**CERTIFICATION UNDER 37 C.F.R. 1.8(a) and 1.10\***

*(When using Express Mail, the Express Mail label number is mandatory;  
Express Mail certification is optional.)*

I hereby certify that, on the date shown below, this correspondence is being:

**MAILING**

deposited with the United States Postal Service in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

**37 C.F.R. 1.8(a)**

with sufficient postage as first class mail.

**37 C.F.R. 1.10\***

as "Express Mail Post Office to Addressee"  
Mailing Label No. EV 481667495 US  
(mandatory)

**TRANSMISSION**

transmitted by facsimile to the Patent and Trademark Office.

□

Signature

Connie Yannotti  
CONNIE YANNOTTI  
(type or print name of person certifying)

Date: March 29, 2004

**\*WARNING:** *Each paper or fee filed by "Express Mail" must have the number of the "Express Mail" mailing label placed thereon prior to mailing. 37 C.F.R. 1.10(b).*

*"Since the filing of correspondence under § 1.10 without the Express Mail mailing label thereon is an oversight that can be avoided by the exercise of reasonable care, requests for waiver of this requirement will not be granted on petition." Notice of Oct. 24, 1996, 60 Fed. Reg. 56,439, at 56,442.*